HIRA for the work : "Evacuation of Ash from BTG Area and disposal followed by depositing at designated area, OPGC-II.

| SI. No | ACTIVITIES | OCCURRENCE OF HAZARDS | HAZARDS | RISKS | EVALUATION OF RISK | | | | | | | | |
|-----------|------------------------------|--------------------------|--|----------------------------------|--------------------|--------|---------|-----|-------------|------|---------|----------|---------------|
| | | | | | QUALITATIV E | | | QU/ | ANTITA E | ATIV | RP N | S/N S | REFERENC E |
| | | N/AB/E | | | L C | B C | IP C | А | В | С | | | |
| 1 | Grass cutting | AB | Snake bite by poisonous snake | Fatal | N | N | N | 4 | 50 | 3 | 600 | S | EM 4/43 |
| 2 | | AB | Insect biting | Injury / Temporary illness | N | N | N | 4 | 10 | 3 | 120 | NS | |
| 3 | | Ν | Contact with Thorns / Bushes | Cuts / Injury/ skin irritaion | N | N | N | 4 | 10 | 3 | 120 | NS | |
| 4 | Transportation of ash/earth. | AB | Faliure of vehicle due to over loading/unsafe driving/mechanical failure | Injury/Fatal | N | N | N | 4 | 50 | 3 | 600 | S | EM 4/47 |
| 5 | | Ν | Falling of dust in eye while loading & unloading | Eye irritation | N | N | N | 7 | 20 | 3 | 420 | S | |
| 6 | | AB | Exposure to hazardous waste which are mixed with ash/earth. | Injury | N | N | N | 7 | 2 | 3 | 42 | NS | |

| 7 | (d) Supression of ash blowing | Ν | Exposure to dust while sprinklig water | Physical Discomfort | N | N | N | 8 | 5 | 4 | 160 | NS | |
|----|---|----|--|-----------------------------|---|---|---|---|---|---|-----|----|--|
| 9 | (a) Reclamation of low land with ash stock area engaging machineries | AB | Hitting of dozer to dumper driver/helper/super visor | Injury/Disability/Fat al | N | N | N | 8 | 5 | 3 | 120 | NS | |
| 10 | | Ν | Exposure to dust during unloading of ash. | Physical Discomfort | Ν | Ν | N | 8 | 5 | 5 | 200 | NS | |
| 11 | | AB | Slipping/over topping of roller during rolling | Major injury/ Fatal | Ν | Ν | N | 8 | 5 | 3 | 120 | NS | |
| 12 | | AB | Hitting by roller during rolling | Injury/Disability/Fat al | Ν | Ν | Ν | 8 | 5 | 3 | 120 | NS | |
| 13 | (b) Earth covering | AB | Hitting of excavator to dumper driver/helper/super visor | Injury/Disability/Fat al | Ν | N | N | 8 | 5 | 3 | 120 | NS | |
| 14 | | Ν | Exposure to dust during unloading of earth | Physical Discomfort | N | N | N | 6 | 5 | 5 | 150 | NS | |
| 15 | | AB | Slipping/over topping of roller during rolling | Major injury/ Fatal | Ν | Ν | Ν | 8 | 5 | 3 | 120 | NS | |
| 16 | | AB | Hitting by roller during rolling | Injury/Disability/Fat al | Ν | Ν | Ν | 8 | 5 | 3 | 120 | NS | |

| 17 | Movement of Dumpers/ Dozer/tractors/tanke rs & other heavy vehicles during working hour | AB | Slipping/over topping of vehicle during transportation of materials | Major injury/ Fatal | N | N | N | 8 | 50 | 3 | 120 0 | S | EM 4/47 |
|----|--|----|---|--------------------------------------|---|---|---|---|----|---|----------|----|---------|
| 18 | | AB | Hitting by heavy vehicles & machinery during rolling | Injury/Disability/Fat al | N | N | N | 8 | 5 | 3 | 120 | NS | |
| 19 | | Ν | Exposure to dust during movement of vehicles/machineri es | Physical Discomfort,Eye injury | N | N | N | 8 | 5 | 5 | 200 | NS | |
| 20 | | Ν | Exposure to noise<85db during running of vehicles | Physical Discomfort | Ν | N | N | 8 | 5 | 3 | 120 | NS | |
| 21 | | AB | Exposure to noise>85db during running of vehicles | Hearing impaired | N | N | N | 2 | 2 | 5 | 20 | NS | |
| 22 | | Ν | Exposure to vehicular emission during working of heavy vehicles & machineries | Physical Discomfort,Eye injury | N | N | N | 4 | 5 | 5 | 100 | NS | |