



ODISHA POWER GENERATION CORPORATION LIMITED
IB THERMAL POWER STATION UNIT # 3&4
At/PO: BANHARPALI, DIST: JHARSUGUDA – 768 234 (ODISHA)
TEL: (06645) 289273 Mob:8093076207
Email: arti.tiwari@opgc.co.in; sanjit.mohanty@opgc.co.in;
bkmishra@opgc.co.in;

NOTICE INVITING TENDER

NIT No. ITPS/Pur. /05/23-24

Date: 11/05/2023

Separate Sealed bids (Two Part) in the prescribed format are invited from bona fide and financially sound reputed Agencies/ Registered Firms/Companies for supply of following materials at 2X660 MW IB Thermal Power Station, Banaharpali.

SLN	Scope of Work	Tender Cost (In Rs.)	EMD (In Rs.)	Sale of Tender document	Date of receipt & submission /Opening of technical Bid
1	PROCUREMENT OF "FITTINGS" (Two Part)	-	Rs.24,000.00	11/05/2023 to 31/05/2023 (Hard copy only)	Up to 3:00 PM on 11/05/2023 3:30 PM onwards on 31/05/2023

NB:

- Bidders having the requisite qualifying requirements specified in the bid document shall only be considered for the work.**
- Further please note to submit your offer considering GST provision and its related input tax credit benefits to be passed on to OPGC**

Cost of bid document (non-refundable) shall be paid by Demand Draft in favor of OPGC Ltd. drawn on State Bank of India (Code-9510)/ Union Bank of India (Code-UBIN0806625)/ Central Bank of India (Code-283899) payable at ITPS, Banharpali. Cost of bid document shall have to be submitted along with the bid and the DD towards the tender cost (separate from EMD) should be prepared on or before the last date of sale of tender, otherwise the bid shall be liable for rejection. In case of any discrepancy found between tender document submitted by the agency and the master copy in our office, the latter should prevail. No claim on this account shall be entertained. Complete and signed sealed bids in hard copy form only shall be received at Contract Cell, ITPS. Bids shall be opened at Contract Cell, ITPS in the presence of the bidders or their authorized representatives, if present at the time of opening. If the last date of issue/ receipt/ opening happens to be a HOLIDAY/office closed, the tender will be issued/ received/ opened at the respective time on the next working day. The photocopies of all the supporting documents required for participating in the tender mentioned in NIT/Tender paper shall be submitted along with the bid; otherwise, the bid is liable for rejection. Bids without EMD will be rejected outright.

Bids received after stipulated date & time shall not be entertained. OPGC shall not take

NIT No. ITPS/Pur. /05/23-24

Date: 11/05/2023

any liability on account of any postal/courier delay. OPGC reserves the right to accept/reject any or all tenders, seek additional clarifications, split up the scope among eligible bidders or cancel the tender altogether without assigning any reasons thereof.

N.B:

For further details & downloading of Tender documents, please visit our web site www.opgc.co.in.

Important:Agenda/Corrigenda/ Extensions, if any, will be notified on the OPGC website only and will not be published in any other media. Bidders are requested to visit our website regularly for any amendment of the present bid till finalization of bidding process.

Sd/- GM- SCM

SAFE & CLEAN POWER IS OUR COMMITMENT



INFORMATION TO BIDDERS

ODISHA POWER GENERATION CORPORATION LIMITED (“OPGC” OR “OWNER”) AN ISO 14001 & OHSAS ORGANIZATION AND COMMITTED TO THE SAFETY HEALTH ENVIRONMENT INCORPORATED UNDER THE COMPANIES ACT 1956, INDIA. OPGC STARTED AS A WHOLLY OWNED COMPANY OF THE GOVERNMENT OF ODISHA (THE “GOO”) WITH THE OBJECTIVE OF ESTABLISHING, OPERATING & MAINTAINING LARGE THERMAL POWER GENERATING STATIONS. IN THE PURSUIT OF ITS OBJECTIVE, OPGC ESTABLISHED IB THERMAL POWER STATION (“ITPS”) WITH TWO UNITS OF 210 MW EACH IN THE IB VALLEY AREA OF JHARSUGUDA DISTRICT IN THE STATE OF ODISHA (UNITS 1 & 2)-PHASE-I. THE POWER PLANT COMMENCED THE COMMERCIAL OPERATION IN 1996. THE ENTIRE GENERATION FROM THESE UNITS IS CONTRACTED TO GRIDCO, THE STATE-OWNED COMPANY, ON THE BASIS OF A LONG-TERM POWER PURCHASE AGREEMENT. AS PART OF ITS CAPACITY ADDITION PROGRAM, OPGC ESTABLISHED TWO ADDITIONAL UNITS OF 2X660 MW, BASED ON SUPERCRITICAL TECHNOLOGY, ADJACENT TO THE EXISTING POWER STATION AT THE SAME LOCATION. THE PLANT SITE IS ABOUT 17 KMS. FROM BELPAHAR RAILWAY STATION AND 40 KMS. FROM JHARSUGUDA RLY. STATION ON S.E. RLY. ON THE MUMBAI- HOWRAH MAIN LINE.

- 1.0 THE BIDS COMPLETE IN ALL RESPECT MUST BE SUBMITTED IN A SEALED ENVELOPE SUPER SCRIBED WITH TENDER ENQUIRY NUMBER, NAME OF THE WORK AND DUE DATE OF OPENING. THE BID DOCUMENTS ARE NOT TRANSFERABLE. THE BIDDER MUST SUBMIT THE FOLLOWING ALONG WITH THE BID:
 - a) EMD OF REQUISITE AMOUNT AS PER NIT SHALL BE PUT IN A SEALED ENVELOPE SEPARATELY. BID WITHOUT EMD WILL BE REJECTED OUTRIGHT.
 - b) PHOTOCOPIES OF REGISTRATION CERTIFICATE, INCOME TAX PAN AND GSTN.
 - c) BID DOCUMENTS DULY SIGNED & STAMPED IN ALL PAGES AS A TOKEN OF ACCEPTANCE.
- 2.0 ORIGINAL PRICE BID DULY FILLED IN, SIGNED & STAMPED ON EACH PAGE SHALL BE SUBMITTED. ANY PRICE BREAKUP (IF REQUIRED) MUST BE SUBMITTED SEPARATELY. THE RATES OFFERED BY THE BIDDER SHALL BE CLEARLY WRITTEN IN ENGLISH (CLEARLY HAND WRITTEN OR TYPED) BOTH IN WORDS AND FIGURES AND SHALL BE FREE FROM ANY ABERRATIONS, DELETIONS, CORRECTIONS AND OVERWRITING. IN CASE OF ANY ILLEGIBILITY OF THE OFFER SUBMITTED BY BIDDER THE INTERPRETATION BY OPGC SHALL BE FINAL AND BINDING ON THE

BIDDER. INSERTION, POSTSCRIPT, ADDITION AND ALTERATION SHALL NOT BE ACCEPTED AFTER SUBMISSION OF THE BID.

- 3.0 NOTE: TENDERS SUBMITTED WITHOUT THE ABOVE REQUIREMENTS SHALL BE LIABLE FOR REJECTION.
- 4.0 BIDDERS ARE ADVISED TO SUBMIT THE TENDER BASED STRICTLY ON THE TERMS AND CONDITIONS AND SPECIFICATIONS CONTAINED IN THE TENDER DOCUMENTS AND NOT STIPULATE ANY DEVIATIONS IN NORMAL CASE.
- 5.0 OPGC WILL AWARD THE CONTRACT TO THE SUCCESSFUL BIDDER WHOSE BID HAS BEEN FOUND THE EVALUATED LOWEST I.E. ON L-1 BASIS.
- 6.0 OPGC RESERVES THE RIGHT TO EVALUATE THE QUOTATION ON SUCH DEVIATIONS HAVING FINANCIAL IMPLICATIONS BY ADDING THE COST DETERMINED BY OPGC.
- 7.0 WHEREVER IT IS MENTIONED IN THE SPECIFICATION THAT THE CONTRACTOR SHALL PERFORM CERTAIN WORK OR PROVIDE CERTAIN FACILITIES, IT IS UNDERSTOOD THAT THE CONTRACTOR SHALL DO SO AT HIS COST.
- 8.0 BEFORE QUOTING THE RATES, THE BIDDER SHOULD GO THROUGH THE SPECIFICATIONS, SCOPE OF WORK, AND SPECIAL CONDITION OF CONTRACTS ETC. AND GET HIMSELF FULLY CONVERSANT WITH THEM.
- 9.0 THE DETAILS OF ITEMS IN THE PRICE SCHEDULE SHALL BE READ IN CONJUNCTION WITH THE CORRESPONDING TECHNICAL SPECIFICATIONS. ITEMS OF WORK PROVIDED IN THE PRICE SCHEDULE BUT NOT COVERED IN THE TECHNICAL SPECIFICATIONS SHALL BE EXECUTED STRICTLY AS PER INSTRUCTIONS OF ENGINEER IN CHARGE.
- 10.0 THE BIDDERS SHALL QUOTE RATES INCLUSIVE OF THE COMPLETE COST TOWARDS CONSUMABLES, TOOLS AND TACKLES, EQUIPMENTS, LABOUR, LEVIES, TAXES AND DUTIES IF ANY, ALL SAFETY PPE'S AS PER OPGC NORMS TO ALL WORKMEN, RECTIFICATION, MAINTENANCE TILL HANDING OVER, SUPERVISION OVERHEADS, PROFITS AND ALL INCIDENTAL CHARGES NOT SPECIFICALLY MENTIONED BUT REASONABLY IMPLIED AND NECESSARY TO COMPLETE THE WORK ACCORDING TO CONTRACT.
- 11.0 OPGC RESERVES THE RIGHTS OF ACCEPTING THE WHOLE OR ANY PART OF THE TENDER AND BIDDER SHALL BE BOUND TO PERFORM THE SAME AT THEIR QUOTED RATES.

.....
Note:

- Item wise HSN Code with GST rate applicable to be indicated in the offer
- Further please note to submit your offer considering GST provision and its related input tax credit benefits to be passed on to OPGC
- Dealer/ Distributor/Channel Partner should enclose valid authorization certificate from principal manufacturer.
- Vendors are requested to kindly furnish your PAN, GST No.
- Tender Specification/Make for Supply of aforementioned items shall be as per the tender specification & BOQ.
- Bidders has to follow the general instruction while submitting the price bid.

- Bank Mandate form to be submitted to make your payment through RTGS/NET.
- Vendors are requested to send their **Sealed & Secured Bid (Two Part)** subscribing the tender number, date, and due date on the envelope. Mail offer may not consider at the time of price opening.
- The Tender shall be accompanied by Earnest Money Deposit (EMD) @ Rs.24,000.00. The Earnest Money offered shall be in shape of Demand Draft/Pay Order/Bank Guarantee (BG as per attached format & shall be valid for 06 months) in favor of ODISHA Power Generation Corporation Ltd. drawn on State Bank of India (Code-9510)/ Union Bank of India (Code-UBIN0806625)/ Central Bank of India (Code-283899).
- All Micro & Small Enterprises (MSEs) who are registered with DIC/KVIC/KVIB/Coir Board/NSIC/DHH/ Udyog Aadhar Memorandum are eligible to get the benefit of exemption from payment of EMD & Tender cost and to get the exemption, the participating bidders have to obtain/register as MSME for the specific service/supply of goods/both.
- To get the exemption of EMDs & Tender Fee, the party has to make an application to the head of Supply Chain Management (SCM) who is conducting tendering process along with proof of documents regarding eligibility of the exemption at least 2 days before the last day of bid submission. The HOD after due examination will allow to participate without submission of EMD&Tender Fee & the same has to be communicated to bidder in writing.
- The Earnest Money of all unsuccessful Bidders will be returned within thirty (30) days after the award of the Contract.
- Any Tender not accompanied with Earnest Money in accordance with aforesaid provisions shall be rejected by the Owner as non-responsive Bid.
- No interest will be payable by the Owner on the said amount covered under Earnest Money/ other Security Deposits.
- On finalization of Tender, Earnest Money deposited in form of DD of successful Bidder will be treated as part of the initial security at the option of the said Contractor or shall be returned to the successful bidder at his option.
- A Bidder shall submit the Tender which satisfies each and every condition laid down in this notice and other tender documents, failing which the Tender will be liable to be rejected.
- The Odisha Power Generation Corporation Ltd. do not bind themselves to accept the lowest or any tender or to give any reasons for their decision. The Owner reserves the right to allow the Public Sector Undertakings price preference facilities as admissible under existing Govt. policy. The prospective Bidders may apprise themselves of the relevant Govt. notification in this regard before submission of their bid. The Odisha Power Generation Corporation Ltd. reserves the right of accepting the whole or any part of the Tender or split the total scope of work among eligible Bidders and Bidder(s) shall be bound to perform the same at his/their quoted rates.
- OPGC reserves the right to accept/ reject any or all tenders, split up the scope among eligible bidders or cancel the tender altogether without assigning any reason thereof.

- Bidder has to submit the price bid as per the price bid format.
- Bid documents duly signed & stamped in all pages as a token of acceptance.
- Original price bid duly filled in, signed & stamped on each page shall be submitted. Any price breakup (if required) must be submitted separately. The rates offered by the bidder shall be clearly written in English (clearly hand written or typed) both in words and figures and shall be free from any aberrations, deletions, and corrections and overwriting. In case of any illegibility of the offer submitted by bidder the interpretation by OPGC shall be final and binding on the bidder. Insertion, postscript, addition and alteration shall not be accepted after submission of the bid.
- Bidders are advised to submit the tender based strictly on the terms and conditions and specifications contained in the tender documents and not stipulate any deviations in normal case.
- Vendors are requested to submit their seal offers at our office by sending through **COURIER/ SPEED POST/REGISTER POST/By Person.**
- OPGC will award the contract to the successful bidder whose bid (offered/evaluated) has been found the lowest i.e., on L-1 basis.
- OPGC reserves the right to evaluate the quotation on such deviations having financial implications by adding the cost determined by OPGC.
- Wherever it is mentioned in the specification that the contractor shall perform certain work or provide certain facilities, it is understood that the contractor shall do so at his own cost.
- Before quoting the rates, the Bidder should go through the specifications, scope of work, special condition of contracts etc. and get himself fully conversant with them.
- The details of items in the price schedule shall be read in conjunction with the corresponding technical specifications. Items of work provided in the price schedule but not covered in the technical specifications shall be executed strictly as per instructions of Engineer in charge.
- Rate will be valid for the 1 year from date of award of contract. Extension/Repeat order can be placed as per requirement of the OPGC for a period of 6 months for supply.
- Delivery: Material shall be required within 20-30 days on F.O.R. site Basis from the date of placement of purchase order on successful bidder.
- OPGC reserves the rights of accepting the whole or any part of the tender and bidder shall be bound to perform the same at their quoted rates.

Note:Tenders submitted without the above requirements shall be liable for rejection.

PRICE OFFERED SHOULD BE FOR DESTINATION (OUR SITE) INCLUDING FREIGHT CHARGE, IB THERMAL POWER STATION, P & F, INSURANCE EXCEPT GST WHICH IS TO BE EXTRA ARE TO BE INDICATED IN TERMS OF PERCENTAGE OF BASIC PRICE OR WILL BE LOADED MAXIMUM WHILE COMPARING. 100% PAYMENT WITHIN 30 DAYS OF RECEIPT & ACCEPTANCE OF MATERIALS. OFFER MAY NOT CONSIDER WITHOUT EMD. PLEASE ENCLOSE PRODUCT CATALOGUE & COMPANY PRICE LIST, OFFER WILL REMAIN VALID FOR A PERIOD OF 180 DAYS FROM THE DATE OF TENDER OPENING. TDS

@20% SHOULD BE DEDUCTED FROM YOUR BILL IN CASE OF NON-SUBMISSION OF PAN DETAILS.

BIDS RECEIVED AFTER STIPULATED DATE & TIME SHALL NOT BE ENTERTAINED. OPGC SHALL NOT TAKE ANY LIABILITY ON ACCOUNT OF ANY POSTAL/COURIER DELAY. OPGC RESERVES THE RIGHT TO ACCEPT / REJECT ANY OR ALL TENDERS, SEEK ADDITIONAL CLARIFICATIONS, SPLIT UP THE SCOPE AMONG ELIGIBLE BIDDERS OR CANCEL THE TENDER ALTOGETHER WITHOUT ASSIGNING ANY REASONS THEREOF.

.....

GENERAL INSTRUCTIONS

- 1.0 EACH QUOTATION SHOULD BE SENT IN PROPERLY SEALED ENVELOPE ADDRESSED TO THE GM (PROCUREMENT DEPT.)- UNIT 3&4, IB THERMAL POWER STATION, BANHARPALI, DIST. JHARSUGUDA, PIN: 768234. THE ENVELOPE SHOULD BEAR THE TENDERER'S DISTINCT RUBBER STAMP. TENDER NO. _____ DUE ON DT. _____ SHOULD INVARIABLY BE GIVEN ON THE COVER.
- 2.0 IN CASE OF ITEMS OF SPECIFIC MAKE, ONLY MANUFACTURERS AND THEIR ACCREDITED AGENTS/STOCKIEST/AUTHORIZED DEALERS ARE ENTITLED TO QUOTE. FOR THIS THEY SHOULD SUBMIT AN ATTESTED COPY OF THE PRINTED PRICE LIST ALONG WITH TENDER.
- 3.0 THE TENDERS SUBMITTED MUST BE FREE FROM OVER WRITINGS OR EROSIONS. CORRECTIONS & ADDITIONS IF ANY MUST BE ATTESTED. INCOMPLETE TENDER SHOULD NOT BE SUBMITTED. TENDERS RECEIVED AFTER DUE DATE OF OPENING WILL NOT BE ENTERTAINED.
- 4.0 THE REQUIRED EMD IN SHAPE OF DD DRAWN IN FAVOUR OF "ODISSA POWER GENERATION CORPORATION LIMITED" PAYABLE AT SBI, IB THERMAL POWER STATION, BANHARPALI, CODE NO.9510, / CENTRAL BANK OF INDIA, BELPAHAR (CODE-3899)/ UNION BANK OF INDIA, ADHAPADA (CODE-UBIN0806625) SHOULD INVARIABLY BE ENCLOSED WITH THE TENDER.
- 5.0 NO INTEREST WILL BE PAYABLE BY THE OWNER ON THE SAID AMOUNT COVERED UNDER EARNEST MONEY/ OTHER SECURITY DEPOSITS.
- 6.0 THE OFFER GIVEN MUST REMAIN VALID FOR A PERIOD OF 180 DAYS FROM THE DATE OF OPENING OF BID.
- 7.0 RATE WILL BE VALID FOR 1 YEAR FROM DATE OF AWARD OF CONTRACT.
- 8.0 MANUALS/PAMPHLETS/LEAFLETS AND DRAWINGS ILLUSTRATING TECHNICAL DETAILS/YEAR OF MANUFACTURE, MAKERS NAME AND COUNTRY OF ORIGIN MUST BE ENCLOSED WITH THE TENDER, SAMPLE IF REQUIRED SHOULD BE SUBMITTED ALONG WITH TENDER.OPGC WILL NOT PROVIDE ANY DRAWING TO THE BIDDER.
- 9.0 THE PRICE QUOTED SHOULD BE FIRM AND DELIVERY F.O.R. DESTINATION INCLUSIVE OF PACKING, FORWARDING, TRANSPORTATION AND INSURANCE CHARGES EXCEPT GST WHICH IS TO BE EXTRA AS ACTUAL.
- 10.0 ACTUAL/PERCENTAGE OF SALES TAX/EXCISE DUTY LEVIABLE AND DECLARED TO BE CHARGED SHOULD BE DISTINCTLY SHOWN ALONG WITH PRICE QUOTED. WHERE IT IS NOT MENTIONED CLAIMS FOR PAYMENT OF SALES TAX AND EXCISE DUTY SHALL NOT BE ENTERTAINED ON ANY GROUND. SALES TAX REGISTRATION NUMBER MUST BE INDICATED INVARIABLY.
- 11.0 THE TENDERER SHOULD BE ABLE TO COMPLETE DELIVERY WITHIN 20-30 DAYS FROM THE DATE OF RECEIPT OF PURCHASE ORDER.
- 12.0 THE TENDERER SHOULD BE AGREEABLY TO OUR PAYMENT TERMS I.E 100% WITHIN 30 DAYS OF RECEIPT AND VERIFICATION OF MATERIALS AT OUR SITE.

- 13.0 QUALITY OF MATERIALS TO BE SUPPLIED SHOULD BE BRAND NEW, FREE FROM ALL FLAWS, GOOD FINISH AND SHOULD BE AS PER TECHNICAL SPECIFICATION AND RELEVANT TO IS SPECIFICATION.
- 14.0 THE TENDER MUST ACCOMPANY PHOTO COPY OF LATEST & VALID INCOME TAX CLEARANCE CERTIFICATE & GST CERTIFICATE WITHOUT WHICH TENDER WILL BE REJECTED.
- 15.0 DESTINATION MEANS CENTRAL STORES, IB THERMAL POWER STATION, AND BANHARPALI.
- 16.0 WHENEVER TENDERERS HAVE ENTERED INTO RATE CONTRACT WITH DGS&D OR EPM, THEY WILL INDICATE THE SAME IN THEIR TENDERS AND SUBMIT A COPY OF RATE CONTRACT AS A PROOF OF CLAIM.
- 17.0 THE QUANTITY INDICATED IN THIS ENQUIRY IS PROVISIONAL AND SUBJECT TO CHANGE AS PER PLANT REQUIREMENT, WHICH MAY INCREASE OR DECREASE DURING THE CONTRACT PERIOD. OPGC HAS NO OBLIGATION TO RECEIVE THE FULL ORDERED QUANTITY.
- 18.0 SUPPLIER HAVING PAST EXPERIENCE OF SUPPLYING SIMILAR ITEMS TO OTHER THERMAL POWER STATIONS MAY SUBMIT A PHOTO COPY OF THE P.O. ALONG WITH THE QUOTATION.
- 19.0 WARRANTY WILL BE MINIMUM OF 12 MONTHS FROM DATE OF DISPATCH. WARRANTY & TEST CERTIFICATE HAS TO BE PROVIDED ALONG WITH MATERIAL.
- 20.0 THE UNDERSIGNED RESERVES THE RIGHT TO ACCEPT/REJECT ANY OR ALL THE TENDER WITHOUT ASSIGNING ANY REASON THEREOF.
- 21.0 PENALTY FOR DELAY IN DELIVERY: - THE VENDOR IS LIABLE TO PAY PENALTY AT THE RATE OF 0.5 % OF THE COST OF UNDELIVERED MATERIALS PER WEEK OR PART THEREOF SUBJECT TO MAXIMUM 05 % OF THE COST OF UNDELIVERED MATERIALS. IF DELAY IS BEYOND 10 WEEKS OR LESS DEPENDING UPON THE REQUIREMENT, THE BUYER RESERVE THE RIGHT TO CANCEL THE P.O. AND COLLECT THE MATERIALS FROM ANY OTHER SOURCE AT THE RISK OF ORIGINAL SUPPLIER WITHOUT MAKING ANY REFERENCE TO HIM. THE ADDITIONAL FINANCIAL INVOLVEMENT OCCURS IF ANY FROM PROCURING OTHER SOURCE SHALL BE RECOVERED FROM YOU.

22.0 COMMERCIAL EVALUATION:

a) PREPARATION OF COMPARATIVE STATEMENT

VENDOR SHOULD NOTE FOLLOWING LOADING FACTORS TO BE USED BY OPGC DURING EVALUATION PROCESS IN CASE THE SAME HAS NOT BEEN CONSIDERED DURING OFFER SUBMISSION:

P&F CHARGES	2%
FREIGHT LESS THAN 300 KMS	3%
300 KMS. TO 500 KMS.	4%
500 KMS. TO 1000 KMS.	5%
ABOVE 1000 KMS.	6%
INSURANCE	0.086%

NOTE: PERCENTAGE LOADING WILL BE LIMITED TO FULL TRUCK/TRAILER LOAD RATE FOR EACH TRUCK LOAD).

b) PAYMENT TERMS LOADING

1.5% PER MONTH (WHEREVER PARTIES HAVE QUOTED 100% THROUGH BANK/ADVANCE AGAINST OUR STANDARD AND PAYMENT TERMS OF BID DOCUMENTS).

IN CASE OF PAYMENT THROUGH BANK LOADING FOR A PERIOD 30 DAYS AND IN CASE OF ADVANCE PAYMENT ALONG WITH P.O. THE LOADING FOR THE PERIOD OF DELIVERY PERIOD PLUS 30 DAYS, MAY BE TAKEN. IN CASE OF 90% THROUGH BANK & BALANCE 10% WITHIN 30 DAYS AFTER RECEIPT AND ACCEPTANCE OF MATERIALS.

LOADING FACTOR WILL BE $1.5 \times 0.9 = 1.35\%$. ACCORDINGLY, FOR OTHER PAYMENT TERMS LOADING FACTORS WILL BE CALCULATED.

c) DELIVERY TERM LOADING

IF THE DELIVERY PERIOD REQUIRED AS PER BID REQUIREMENT IS DEVIATED THE LOADING SHALL BE DONE @0.5% PER WEEK OR PART THEREOF FOR THE PERIOD OVER AND ABOVE THE STIPULATED DELIVERY PERIOD.

23.0 LOADING PROCEDURES:

BASIC PRICE

PACKING & FORWARDING CHARGES (ON BASIC PRICE ONLY)

FREIGHT ON (BASIC + P&F)

INSURANCE ON (BASIC + P&F + FREIGHT)

GST (BASIC + P&F + FREIGHT + INSURANCE)

PAYMENT TERMS LOADING ON (BASIC + P&F + FREIGHT+GST)

DELIVERY TERM LOADING ON (BASIC + P&F + FREIGHT+GST)

- 24.0 WEIGHT/LENGTH VARIATION: IN CASE THE PAYMENT IS DONE ON WEIGHING THE CONSIGNMENT AT SITE, ALLOWABLE TOLERANCE OF $\pm 0.25\%$ SHALL BE APPLICABLE. THIS TOLERANCE SHALL BE ALLOWED AS WEIGH BRIDGE TOLERANCE DUE TO WEIGHMENT IN TWO DIFFERENT WEIGH BRIDGE (IF AVAILABLE). FOR ANY VARIATION BEYOND THIS ALLOWABLE TOLERANCE NECESSARY ADJUSTMENT SHALL BE MADE DURING RELEASING PAYMENT BY WAY OF SUBMISSION OF CREDIT NOTE BY THE VENDOR. IF THE WEIGHT VARIATION IS $\pm 0.25\%$ FROM THE INVOICED WEIGHT/CHALLAN WEIGHT THE INVOICED WEIGHT WILL BE ACCEPTED FOR THE PURPOSE OF ACCOUNTAL AS WELL AS PAYMENT. IF THERE IS THREE CONTINUOUS NEGATIVE TOLERANCE IS FOUND NO MORE TOLERANCE SHALL BE ALLOWED. VENDOR SHALL HAVE TO SUBMIT THE CREDIT AS PER WEIGHMENT BY OPGC.
- 25.0 FORCE MAJEURE: ANY DELAY OR FAILURE TO PERFORM THE CONTRACT BY EITHER PARTY CAUSED BY ACTS OF GOD OR ACTS OF GOVERNMENT OR ANY DIRECTION OR RESTRICTION IMPOSED BY GOVERNMENT OF INDIA WHICH MAY AFFECT THE CONTRACT OR THE PUBLIC ENEMY OR CONTINGENCIES LIKE STRIKES, RIOTS ETC. SHALL NOT BE CONSIDERED AS DEFAULT FOR THE PERFORMANCE OF THE CONTRACT OR GIVE RISE TO ANY CLAIM FOR DAMAGE. WITHIN 7 DAYS OF OCCURRENCE AND CESSATION OF THE EVENT(S), THE OTHER PARTY SHALL BE NOTIFIED. ONLY THOSE EVENTS OF FORCE MAJEURE WHICH IMPEDES THE EXECUTION OF THE CONTRACT AT THE TIME OF ITS OCCURRENCE SHALL BE TAKEN INTO COGNIZANCE.
- 26.0 PATENTS, ROYALTIES, SELLER'S LIABILITY AND COMPLIANCE OF REGULATIONS: VENDOR SHALL PROTECT AND FULLY INDEMNIFY THE PURCHASER FROM ANY CLAIMS FOR INFRINGEMENT OF PATENTS, COPY RIGHT, TRADE MARK OF THE LIKE. SELLER SHALL ALSO PROTECT AND FULLY INDEMNIFY THE PURCHASER FROM ANY CLAIMS FROM SELLERS WORKMAN/EMPLOYEES, THEIR HEIRS, DEPENDENTS, REPRESENTATIVES ETC. OR FROM ANY OTHER PERSON/PERSONS OR BODIES/COMPANIES ETC. FOR ANY ACT OF COMMISSION OR OMISSION WHILE EXECUTING THE ORDER. SELLER SHALL BE RESPONSIBLE FOR COMPLIANCE WITH ALL REQUIREMENTS UNDER THE LAWS AND SHALL PROTECT AND INDEMNIFY COMPLETELY THE PURCHASER FROM ANY CLAIMS/PENALTIES ARISING OUT OF ANY INFRINGEMENT.
- 27.0 SECURITY, BANK GUARANTEE:
- a) SECURITY DEPOSIT: SECURITY DEPOSIT CLAUSE FOR PERFORMANCE OF SUPPLY @5% OF BASIC VALUE IN SHAPE OF DD/BG/DEDUCTED FROM THE BILL. NO INTEREST WILL BE PAYABLE BY THE OWNER ON THE SAID AMOUNT COVERED UNDER EARNEST MONEY/ OTHER SECURITY DEPOSITS. THE EARNEST MONEY DEPOSITED WITH THE TENDER SHALL BE ADJUSTED TOWARDS INITIAL SECURITY DEPOSIT AT THE OPTION OF THE BIDDER. CONTRACTOR SHALL FURNISH THE INITIAL OR TOTAL SECURITY AMOUNT @5% OF BASIC VALUE IN SHAPE OF BG/DD/DEDUCTED FROM THE BILL.
 - b) BANK GUARANTEE (BF) IN THE PRESCRIBED FORMAT FROM ANY NATIONALIZED OR SCHEDULED BANK TO BE SUBMITTED WITHIN

THE SPECIFIED TIME PERIOD. IN ALL THE CASES IF TOTAL SECURITY IS NOT DEPOSITED EITHER IN FORM OF DEMAND DRAFT OR BANK GUARANTEE WITHIN 15 DAYS OF ISSUANCE OF LOI/ORDER THE SECURITY AS MENTIONED ABOVE SHALL BE RECOVERED FROM THE RUNNING BILL OF THE CONTRACTOR. THE BANK GUARANTEE FACILITY SHALL BE EXTENDED TO ONLY COMPANIES OF REPUTE AT THE DISCRETION OF OPGC.

BANK GUARANTEE IN LIEU OF SECURITY DEPOSIT SHALL BE VALID FOR THE ENTIRE CONTRACT PERIOD PLUS ADDITIONAL 03 MONTHS. IN CASE OF ORDER EXTENSION/RENEWAL BANK GUARANTEE TO BE RENEWED ACCORDINGLY.

28.0 LANGUAGE: THE CONTRACT INCLUDING THE PURCHASE ORDER AND ALL SCHEDULES, ANNEXURES (IF ANY) AND RELATED DOCUMENTS AND COMMUNICATIONS AND NOTICES ISSUED PURSUANT TO OR IN CONNECTION WITH ITS PROVISIONS, SHALL BE IN ENGLISH. IN THE EVENT THE CONTRACT, ITS SCHEDULES, ANNEXURES (IF ANY) OR ANY RELATED DOCUMENT IS TRANSLATED INTO OR IS IN ANY OTHER LANGUAGE, THE ENGLISH VERSION THEREOF SHALL TAKE PRECEDENCE AND CONTROL THE INTERPRETATION THEREOF.

PREPARATION OF BID:

The bidder(s) shall submit the bid in two part, namely-

- 1.0 TECHNO-COMMERCIAL UNPRICED BID
- 2.0 COMMERCIAL PRICED BID

PART-I-TECHN-COMMERCIAL UNPRICED BID

A complete set of original Tender documents as issued to the Bidder duly filled in as prescribed in different clauses of the Tender documents with signature & stamp in all pages as token of unconditional acceptance shall constitute Techno-commercial Unpriced Bid.

The bidder shall enclose the following documents in this bid:

- Crossed demand draft for requisite amount drawn in favor of Odisha Power Generation Corporation Ltd. in the manner prescribed above towards the Earnest Money Deposit (EMD) and Tender Cost without which the tender will be summarily rejected.
- Bidder must clearly specify whether they have quoted or Not Quoted & also indicate the make/brand quoted against each item unpriced bid format enclosed in the tender document.
- Bidder must submit all the supporting documents as mentioned in the Qualification Criteria.
- Acceptance of Reverse Auction as mentioned in the Qualification Criteria.
- GST Certificate copy.
- PAN Certificate copy.
- MSME/NSIC copy of certificate (if applicable).

Note: if required additional sheet may be used to furnish all above information but, in the format, provided in general conditions of contract.

The Techno-Commercial Unpriced Bid with all its enclosures as mentioned should be put in an envelope, sealed & super scribed as “Techno-Commercial Unpriced Bid”. This envelope must contain name of the work, NIT No., Due Date of Opening and Name &Address of the Bidder on bottom left-hand corner of the cover.

PART-II: COMMERCIAL PRICED BID

Bidder must submit the Commercial Priced Bid in a different envelope as mentioned in the table (Price Bid Format).

Price Bids of only those bidders will be opened who meet as per qualification criteria given below. The Owners shall not entertain any correspondence with any Bidder in relation to the acceptance or rejection of any Price Bid.

.....

QR Committee

Qualifying Requirement for Procurement of “FITTINGS” for Unit#3&4-(AOH), (2x660 MW) for ITPS, OPGC.

The bidders must meet the following Qualifying Requirements with respect to the below.

1. The bidder must be a Manufacturer or their Authorized dealer/ Stockiest of the materials. Authorization certificate/ dealership agreement forwarded by manufacturer etc. shall be submitted as a documentary proof.

AND
2. Bidder must confirm to supply as per technical specification as stipulated in the tender document (Self declaration to be submitted)

AND
3. Party should have inline experience for supply *similar product directly to any industry. Relevant Order copies of last five years to be submitted in order to satisfy the following.
 - Three purchase orders for supply of similar product and each purchase order value not less than the amount equal to Rs. 5.0 Lakhs in last five years.

'OR'
 - Two purchase orders for supply of similar product and each purchase order value not less than the amount equal to Rs. 6.0 Lakhs in last five years.

'OR'
 - One purchase order for supply of similar product and each purchase order value similar product and each purchase order value not less than the amount equal to Rs.10.0Lakhs in last five years.

AND
4. Average Annual financial turnover during the last three Financial Years should be at least Rs. 15.0 Lakh or more. Audited Balance Sheet and profit& Loss A/C must be submitted along with the Techno-commercial Bid.

AND
5. Must not have been disqualified/blacklisted in any public/Govt sector during the last 10(Ten) years for the similar nature of job. (Self-Certification)

*Similar product means supply of “FITTINGS.”

Sufficient documentary proof in support of the above must be submitted along with the Techno commercial Bid. Photocopies of supporting documents must be submitted along with Techno commercial Bid.

Note:

- For all qualification criteria all supporting documents to be provided.
- Owner reserves the right to obtain necessary documents and to assess the qualification of the Bidder, subsequent to submission of bid, as deemed necessary by Owner to establish bidder's qualification.

GM-(SCM)

Price Bid Format							
SLN	Material Code	Material Details	Qty .	UO M	Unit Price	GST %	Total Amount
10	194400152032	MALE CONNECTOR, SIZE:1/2"NPTM X 1/2"OD SPECIFICATION: MALE CONNECTOR, TYPE: DFDC, MATL: SS316, SIZE:1/2"NPTM X TO SUIT 1/2"OD SS TUBE	80	NO			
20	194400150088	Male Elbow, 1/2" OD x 1/2" NPTM SPECIFICATION: Male Elbow-1/2" NPT,1/2" OD with Double compression Ferrule,Material-SS316	30	NO			
30	194400150089	Male Elbow, 1/2" OD x 1/4" NPTM specification: Male Elbow-1/4" NPT,1/2" OD with Double compression Ferrule,Material-SS316	30	NO			
40	194400150094	Equal TEE, 1/2" OD, DFDC CC/WBS: IB03AO2022B 3 SPECIFATION: Equal Tee1/2" OD with Double compression Ferrule,Material-SS316	40	NO			
50	194400150096	Branch Male Tee, 1/2" OD x 1/2" NPTM SPECIFICATION: Male Branch Tee 1/2" NPT,1/2" OD with Double compression Ferrule,Material-SS316	30	NO			

60	194400150097	Ferrule, 1/2" OD, DFDC SPECIFICATION: 1/2" double compression Ferrule,Material-SS316	70	NO			
70	194400150098	Tube, 1/2" OD x 1.63 mm SPECIFICATION: Seamless Tube to ASTM A269 type SS316 1/2"OD x 1.63mm thick (each length 5 to 6 mtrs),Material-SS316	50	M			
80	194400150099	Male Connector, 8 mm" OD x 1/2" NPTM SPECIFICATION: Male Connector-1/2" NPT,8 mm OD with Double compression Ferrule,Material-SS316	50	NO			
90	194400150100	Male Connector, 8 mm" OD x 1/4" NPTM SPECIFICATION: Male Connector-1/4" NPT,8 mm OD with Double compression Ferrule,Material-SS316	100	NO			
100	194400150101	Male Elbow, 8 mm" OD x 1/2" NPTM, DFDC SPECIFICATION: Male Elbow-1/2" NPT,8 mm OD with Double compression Ferrule,Material-SS316	30	NO			
110	194400150102	Male Elbow, 8 mm" OD x 1/4" NPTM, DFDC SPECIFICATION: Male Elbow-1/4" NPT,8 mm OD with Double compression Ferrule,Material-SS316	40	NO			

120	194400150105	Union, 8 mm" OD, DFDC SPECIFICATION: Union,8 mm OD with Double compression Ferrule,Material-SS316	40	NO			
130	194400150107	Equal TEE, 8 mm" OD, DFDC SPECIFICATION: Equal Tee 8 mm OD with Double compression Ferrule,Material-SS316	40	NO			
140	194400150108	Branch Male Tee, 8 mm" OD x 1/4" NPTM SPECIFICATION: Male Branch Tee 1/4" NPT,8 mm OD with Double compression Ferrule,Material-SS316	30	NO			
150	194400150109	Branch Male Tee, 8 mm" OD x 1/2" NPTM SPECIFICATION: Male Branch Tee 1/2" NPT,8 mm OD with Double compression Ferrule,Material-SS316	30	NO			
160	194400150110	Ferrule, 8 mm" OD, DFDC SPECIFICATION: 8 mm double compression Ferrule,Material-SS316	40	NO			
170	194400150111	Tube, 8 mm" OD x 1 mm SPECIFICATION: Seamless Tube to ASTM A269 type SS316,8mmOD x 1mm thick,Material-SS316	100	M			

180	194400150112	Male Connector, 10 mm" OD x 1/2" NPTM SPECIFICATION: Male Connector-1/2" NPT,10 mm OD with Double compression Ferrule,Material-SS316	20	NO			
190	194400150113	Male Connector, 10 mm" OD x 1/4" NPTM SPECIFICATION: Male Connector-1/4" NPT,10 mm OD with Double compression Ferrule,Material-SS316	30	NO			
200	194400150121	Branch Male Tee, 10 mm" OD x 1/4" NPTM SPECIFICATION: Male Branch Tee 1/4" NPT,10 mm OD with Double compression Ferrule,Material-SS316	20	NO			
210	194400150122	Branch Male Tee, 10 mm" OD x 1/2" NPTM SPECIFICATION: Male Branch Tee 1/2" NPT,10 mm OD with Double compression Ferrule,Material-SS316	10	NO			
220	194400150123	Ferrule, 10 mm" OD, DFDC SPECIFICATION: 10 mm double compression Ferrule,Material-SS316	50	NO			
230	194400150124	Tube, 10 mm" OD x 1 mm SPECIFICATION: Seamless Tube to ASTM A269 type SS316,10mmOD x 1.2mm thick,Material- SS316	48	M			

240	194400150125	Male Connector, 1/4" OD x 1/2" NPTM SPECIFICATION: Male Connector-1/2" NPT,1/4" OD with Double compression Ferrule,Material-SS316	30	NO			
250	194400150126	Male Connector, 1/4" OD x 1/4" NPTM SPECIFICATION: Male Connector-1/4" NPT,1/4" OD with Double compression Ferrule, Material-SS316	50	NO			
260	194400150127	Male Elbow, 1/4" OD x 1/2" NPTM SPECIFICATION: Male Elbow-1/2" NPT,1/4" OD with Double compression Ferrule,Material-SS316	20	NO			
270	194400150131	Equal TEE, 1/4" OD, DFDC, SPECIFICATION: Equal Tee 1/4" OD with Double compression Ferrule, Material-SS316	20	NO			
280	194400150132	Branch Male Tee, 1/4" OD x 1/4" NPTM, SPECIFICATION: Male Branch Tee 1/4" NPT,1/4" OD with Double compression Ferrule, Material-SS316	30	NO			
290	194400150133	Branch Male Tee, 1/4" OD x 1/2" NPTM, SPECIFICATION: Male Branch Tee 1/2" NPT,1/4" OD with Double compression Ferrule, Material-SS316	20	NO			

300	194400150134	Union, 1/4" OD, DFDC SPECIFICATION: Union, 1/4" OD with Double compression Ferrule, Material-SS316	60	NO			
310	194400150136	Ferrule, 1/4" OD, DFDC SPECIFICATION: 1/4" double compression Ferrule, Material-SS316	100	NO			
320	194400150143	1/2" NPT SS Dummy, MOC - SS316. SPECIFICATION: 1/2" NPT SS Dummy, MOC - SS316	20	NO			
330	194400150145	1/4" NPT SS Dummy, MOC - SS316 SPECIFICATION: 1/4" NPT SS Dummy, MOC - SS316	20	NO			
340	194400150146	1/8" NPT SS Dummy, MOC - SS316 SPECIFICATION: 1/8" NPT SS Dummy, MOC - SS316	20	NO			
350	194400150147	Copper washer 1/2" SPECIFICATION: Copper Washer 16x7x1.5 mm	100	NO			

360	194400150149	Seamless Pipe 1/2"NB-Sch80 SPECIFICATION: Seamless Pipe to ASTM A312 type SS316 1/2"NB-Sch80(each length 5 to 6 mtrs)	60	M			
370	194400150299	ISOLATION VLV,2-WAY(IBR),1/4" NPT (F) SPECIFICATION: ISOLATION VALVE - TWO WAY (IBR) -TYPE - NEEDLE ,FUNCTION- To Isolate / Make Fluid Path, SPINDLE - SS 420 , TRIM - SS 316, MOUNTING - PANEL , BODY-A182F22,GLAND PACKING - Graphite , INLET /OUTLET-1/4" OD , SERVICE - Water , DESIGN PRESSURE RATING - 6000 PSIG , DESIGN TEMP. RATING - 600 Deg.C , HANDLE MATERIAL- SS Grade ,TRIM MAT-SS316,MOUNTING-PANEL, HANDLE MAT-SS GRADE, CONNECTION DETAILS - 1/4" NPT (F)	10	NO			
380	194400150300	ISOLATION VLV,2WAY,1/4" NPT(F),230°C SPECIFICATION: ISOLATION VALVE - TWO WAY -TYPE - NEEDLE ,FUNCTION- To Isolate / Make Fluid Path , MOUNTING - PANEL , BODY-SS 316 , INLET /OUTLET-1/4" OD, OPERATING PRESSURE(MAX)-210 Kg/Cm2 , OPERATING TEMPERATURE-(-20) TO 230° C ,SERVICE - Water,TRIM MATERIAL - SS 316, HANDLE MATERIAL- SS GRADE,CONNECTION-1/4" NPT(F)	10	NO			

390	194400150302	GATE VALVE,3/4" NPT(F) SPECIFICATION: GATE VALVE - TYPE-Gate of Solid Wedge , FUNCTION-To Isolate / Make Fluid Path , FLUID-Water , OPERATING Pressure (MAX) - 20 Kg/Cm2 , OPERATING TEMPERATURE - 10 To 80°C , BODY- SS 316 , BONNET - SS316 , GradeII IS 318 , 1962 , HANDLE -C.I. Grade FG200 of IS 210,INLET/OUTLET CONNECTION-3/4" NPT(F) , MOUNTING-Line , SERVICE-Water	10	NO			
400	194400150303	GATE VALVE,3/8" NPT(F) SPECIFICATION: GATE VALVE - TYPE-Gate of Solid Wedge , FUNCTION-To Isolate / Make Fluid Path , FLUID-Water , OPERATING Pressure (MAX) - 10 Kg/Cm2 , OPERATING TEMPERATURE - 70°C , BODY- SS 316 , BONNET - SS316 , GradeII IS 318 , 1962 , HANDLE - C.I. Grade FG200 of IS 210,INLET/OUTLET CONNECTION-3/8" NPT(F) , MOUNTING-Line , SERVICE-Water	10	NO			
410	194400150304	STRAINER, Y-TYPE -1/4" OD SPECIFICATION: STRAINER -TYPE - Y Type , BODY - SS 316 , MESH SIZE - 40μ, INLET/OUTLET - 1/4" OD , FLUID- WATER , TEST PRESSURE - 3000 PSI , TEST TEMPERATURE - 120°C	10	NO			

420	194400150306	TWO WAY VALVE,1/4"NPT(F),230°C SPECIFICATION: TWO WAY VALVE - TYPE - Needle Type , FUNCTION - To Isolate / Make fluid Path , MOUNTING -Panel ,BODY - SS 316 , INLET/OUTLET - 1/4" OD , OPERATING PRESSURE (MAX) - 210 Kg/cm2 , OPERATING TEMPERATURE - (-20) TO 230°C , SERVICE - Water , TRIM MATERIAL- SS 316 , HANDLE MATERIAL - SS Grade, MOUNTING - Panel Mounting, CONNECTION DETAILS - 1/4" NPT (F)	10	NO			
430	194400150307	NEEDLE VLV WITH DRAIN,1/4"NPT (F),180°C SPECIFICATION: NEEDLE VALVE WITH DRAIN -TYPE - Needle Type , FUNCTION - To Isolate / Make fluid Path ,MOUNTING -Panel,BODY - SS 316 , INLET/OUTLET - 1/4" OD , OPERATING PRESSURE (MAX) - 210 Kg/cm2 , OPERATING TEMPERATURE - (-10) TO 180°C , SERVICE - Water,TRIM MATERIAL- SS 316 , HANDLE MATERIAL - SS Grade ,MOUNTING - Panel Mounting , CONNECTION DETAILS - 1/4" NPT (F)	10	NO			

440	194400150308	THREE WAY VALVE,1/4" OD,200°C SPECIFICATION: THREE WAY VALVE -TYPE - 3 Way Ball Valve , FUNCTION - To Isolate / Change Fluid Path , BODY - SS 316 , TRIM- SS 316 , PACKING - PTFE , INLET/OUTLET - 1/4" OD, OPERATING PRESSURE RATING - 30Kg/cm2 , DESIGN TEMPERATURE RATING - 200°C, SERVICE - WATER , TRIM MATERIAL - SS 316 , MOUNTING - Panel Mount , CONNECTION DETAILS - 1/4" OD	10	NO			
450	194400150309	TWO WAY VALVE,3/8" OD,200°C SPECIFICATION: TWO WAY VALVE -TYPE - Ball Valve , FUNCTION - To Isolate / Make fluid Path,BODY - SS 316 , TRIM- SS 316 ,PACKING - PTFE ,END CONNECTION - 3/8" OD , OPERATING PRESSURE (MAX) - 30 Kg/cm2 , OPERATING TEMPERATURE RATING - 200°C, FLUID- Water , TRIM MATERIAL - SS 316 , HANDLE MATERIAL - Finolex Plastic (With Brass Insert) , MOUNTING- Panel Mount	10	NO			
460	194400150310	THREE WAY VLV,3/4"ODX1/4"ODX3/4" OD SPECIFICATION: THREE WAY VALVE -TYPE - 2 Way Ball Valve , FUNCTION - To Isolate /	10	NO			

		Change Fluid Path ,MOUNTING- Surface, BODY - SS 316 , PLUG-SS 316, TRIM- SS 316 , PACKING - PTFE ,END CONNECTION - 3/4" OD X 1/4" OD X 3/4" OD ,SERVICE- Water, OPERATING PRESSURE - 30Kg/cm ² , DESIGN TEMPERATURE RATING - 200°C, TEST PRESSURE (HYDRO) - 1.5 Times Design Pressure					
470	194400150312	Male Connector, 3/4" NPT(M)X 1/2" OD SPECIFICATION: Male Connector, 3/4" NPT(M)X 1/2" OD, Material- SS316	10	NO			
480	194400150323	Dummy,1/2" NPT (FEMALE),Material-SS316 SPECIFICATION: Dummy,1/2" NPT (FEMALE),Material-SS316	10	NO			
490	194400150326	Dummy,3/4" NPT (FEMALE) ,Material-SS316 SPECIFICATION: Dummy,3/4" NPT (FEMALE) ,Material-SS316	10	NO			
500	194400150327	Dummy,1/4" NPT (FEMALE), Material-SS316 SPECIFICATION: Dummy,1/4" NPT (FEMALE), Material-SS316	10	NO			

510	194400150330	REDUCER,1"NPT(M) X 1/2" NPT(F) SPECIFICATION: REDUCER,1"NPT(M) X 1/2" NPT(F),Material-SS316	10	NO			
520	194400150331	REDUCER,1"NPT(M) X 3/4" NPT(F) SPECIFICATION: REDUCER,1"NPT(M) X 3/4" NPT(F),Material-SS316	10	NO			
530	194400150332	REDUCER,3/4"NPT(M) X 1/2" NPT(F) SPECIFICATION: REDUCER,3/4"NPT(M) X 1/2" NPT(F),Material-SS316	10	NO			
540	194400150333	REDUCER,1/2" NPT(M) X 1/4" NPT(F) SPECIFICATION: REDUCER,1/2" NPT(M) X 1/4" NPT(F),Material-SS316	10	NO			
550	194400150334	REDUCER,3/8"NPT(M) X 1/4" NPT(F) SPECIFICATION: REDUCER,3/8"NPT(M) X 1/4" NPT(F),Material-SS316	10	NO			
560	194400150335	REDUCER,1/2" NPT(M) X 3/8" NPT(F) SPECIFICATION: REDUCER,1/2" NPT(M) X 3/8" NPT(F),Material-SS316	10	NO			

570	194400150340	Female connector-1/4" NPT(F) X 1/4" OD SPECIFICATION: Female connector-1/4" NPT(F) X 1/4" OD WITH OLIVE	10	NO			
580	194400150292	TEE,6MM ODX6MM ODX6MM OD,400KG/CM2,230°C SPECIFICATION: TEE,6MM(OD)X6MM(OD)X6 MM(OD),FOR PRESSURE 400 KG/CM2,TEMP RATING 600 DEG CEN,Material- SS316	10	NO			
590	194400150293	SS TUBE,6MM OD,PR- 400KG/CM2,230°C SPECIFICATION: SS TUBE,6MM OD,FOR PRESSURE 400 KG/CM2,TEMP RATING 600 DEG CEN,Material-SS316	48	M			
600	194400150294	UNION,6MM(OD)X9.5MM(O D),400KG/CM2,230°C SPECIFICATION: STRAIGHT UNION,6MM OD X 9.5 MM OD,FOR PRESSURE 400 KG/CM2,TEMP RATING 600 DEG CEN,Material- SS316	10	NO			
610	194400150295	ELBOW,6MM(OD)X9.5MM(O D),400KG/CM2,230°C SPECIFICATION: ELBOW UNION,6MM OD X 9.5MM OD,FOR PRESSURE 400 KG/CM2,TEMP RATING 600 DEG CEN,Material-SS316	10	NO			
620	194400150296	ELBOW,6MM(OD)X6MM(OD) ,400KG/CM2,230°C SPECIFICATION: ELBOW UNION,6MM OD X 6 MM OD, FOR PRESSURE 400	10	NO			

		KG/CM2,TEMP RATING 600 DEG CEN,Material-SS316					
630	194400150297	TEE,3/4"NPT(M)X3/4"OD X 3/4"OD,AIR/WATER SPECIFICATION: TEE,3/4"NPT(M)X3/4" OD X 3/4" OD,FOR AIR/WATER APPLICATION	10	NO			
640	194400150298	MALE CONNECTOR,3/4"NPT(M)X3 /4"OD,AIR/WTR SPECIFICATION: MALE CONNECTOR,3/4" NPT(M) X 3/4" OD,FOR AIR/WATER APPLICATION,Material- SS316	10	NO			
650	194400150311	Male connector,1/8"NPT(M) X 1/4 " OD SPECIFICATION: Male connector,1/8"NPT(M) X 1/4 " OD,Material-SS316	10	NO			
660	194400152006	TWO VALVE MANIFOLD,1/2" NPTF,9000 PSI SPECIFICATION: TWO VALVE MANIFOLD WITH VENT PLUG ,PORT SIZE:1/2" NPTF,MATL.SS316 ,PR.TESTING:9000 PSI	10	NO			
670	194400152007	TWO VALVE MANIFOLD,1/2" NPTF,6000 PSI SPECIFICATION: TWO VALVE MANIFOLD WITH VENT PLUG ,PORT SIZE:1/2" NPTF,MATL.SS316, PR.TESTING:6000 PSI	10	NO			

680	194400152008	TWO VALVE MANIFOLD,1/2" NPTF,3000 PSI SPECIFICATION: TWO VALVE MANIFOLD WITH VENT PLUG,PORT SIZE:1/2"NPTF,BODY:SS31 6,PR.TESTING:3000PSI	10	NO			
690	194400152010	FIVE VALVE MANIFOLD,1/2" NPTF,9000 PSI SPECIFICATION: FIVE VALVE MANIFOLD WITH VENT PLUG,PORT SIZE:1/2" NPTF,MATL.SS316,PR.TEST ING:9000 PSI	10	NO			
700	194400152011	FIVE VALVE MANIFOLD,1/2" NPTF,6000 PSI SPECIFICATION: FIVE VALVE MANIFOLD WITH VENT PLUG,PORT SIZE:1/2"NPTF,BODY:SS31 6,PR.TESTING:6000PSI	10	NO			
710	194400152012	FIVE VALVE MANIFOLD,1/2" NPTF,3000 PSI SPECIFICATION: FIVE VALVE MANIFOLD WITH VENT PLUG,PORT SIZE:1/2" NPTF,MATL.SS316,PR.TEST ING:3000 PSI	10	NO			
720	194400152013	THREE VALVE MANIFOLD,1/2" NPTF,3000 PSI SPECIFICATION: THREE VALVE MANIFOLD WITH VENT PLUG PORT SIZE:1/2" NPTF,MATL.SS316,PR.TEST ING:3000 PSI	10	NO			

730	194400150402	TEE,1/2"NPT(F)X1/2"NPT(F) X1/2"NPT(F) SPECIFICATION: TEE,1/2"NPT(F)X1/2"NPT(F) X1/2"NPT(F),TYPE- HEXAGONAL,Material- SS316	20	NO			
740	194400150403	ADAPTOR,1/2"BSP(M)X1/2" NPT(M) SPECIFICATION: ADAPTOR,1/2"BSP(M)X1/2" NPT(M),Material-SS316	20	NO			
750	194400150404	NUT AND TAIL THREE PIECE CONN,CL-6000 SPECIFICATION: NUT AND TAIL THREE PIECE CONNECTOR TYPE,CLASS- 6000,SS316,1/2"NPT(M),ON E END WLDED AND OTHER END NUT SUITABLE FOR ½" BSP(F) WITH SUITABLE ADAPTOR (1/2"BSP(M)X1/2"BSP(M))	20	NO			
760	194400150405	NUT AND TAIL THREE PIECE CONN,CL-9000 SPECIFICATION: NUT AND TAIL THREE PIECE CONNECTOR TYPE,CLASS- 9000,SS316,1/2"NPT(M),ON E END WLDED AND OTHER END NUT SUITABLE FOR ½" BSP(F) WITH SUITABLE ADAPTOR (1/2"BSP(M)X1/2"BSP(M))	20	NO			
770	194400150279	HYDRAULIC,SS Tube,12 mmOD,SS316 SPECIFICATION: HYDRAULIC FITTINGS,SS Tube,12 mmOD ,Material- SS316 for Hydraulic system having Pressure Rating=400 KG/CM2,Material- SS316,TEMP=120 DEG,FOR	48	M			

		OIL APPLICATION					
780	194400150281	HYDRAULIC,REDUCER,3/4 "BSP(F)X1/2"BSP(M) SPECIFICATION: HYDRAULIC FITTINGS,REDUCER,3/4"B SP(F) X 1/2"BSP(M),Pressure Rating=400 KG/CM2,Material- SS316,TEMP=120 DEG,FOR OIL APPLICATION,FOR OIL APPLICATION	10	NO			
790	194400150461	RTD ADAPTER M22X1.5 TO 1/2" NPTF,8MM RTD SPECIFICATION: RTD ADAPTER M22X1.5 TO 1/2" NPTF FOR 8MM RTD,MOC-SS316	15	SET			
800	194400150462	RTD ADAPTER M18X1 TO 1/2" NPTF, 8MM RTD SPECIFICATION: RTD ADAPTER M18X1 TO 1/2" NPTF FOR 8MM RTD,MOC-SS316	15	SET			
810	194400150463	RTD ADAPTER M18X1 TO 3/8" BSPF,8MM RTD SPECIFICATION: RTD ADAPTER M18X1 TO 3/8" BSPF FOR 8MM RTD,MOC-SS316	15	SET			
820	194400150464	BALL VALVE,M20x1.5 MALE TO 1/2" NPT SPECIFICATION: BALL VALVE,LEVER TYPE, WITH ONE DRAIN PORT ONE INPUT AND ONE OUTPUT.PROCESS CONNECTION-M20x1.5 MALE TO 1/2" NPT	20	SET			

		FEMALE,BODY SS-316,FOR OIL APPLICATION.,MAX TEMP-120 degC					
830	194400150465	3/4" NPT SOCKET INNER THREADED-SS316 SPECIFICATION: 3/4" NPT SOCKET INNER THREADED-SS316	10	NO			
840	194400150466	1" NPT SOCKET INNER THREADED-SS316 SPECIFICATION: 1" NPT SOCKET INNER THREADED-SS316	10	NO			
850	194400150467	1 1/2" NPT SOCKET INNER THREADED-SS316 SPECIFICATION: 1 1/2" NPT SOCKET INNER THREADED-SS316	10	NO			
860	194400150468	3/4" BSP SOCKET INNER THREADED-SS316 SPECIFICATION: 3/4" BSP SOCKET INNER THREADED-SS316	10	NO			
870	194400150469	1" BSP SOCKET INNER THREADED-SS316 SPECIFICATION: 1" BSP SOCKET INNER THREADED-SS316	10	NO			

880	194400150470	1 1/2" BSP SOCKET INNER THREADED-SS316 SPECIFICATION: 1 1/2" BSP SOCKET INNER THREADED-SS316	10	NO			
890	194400150471	2 " BSP SOCKET INNER THREADED-SS316 SPECIFICATION: 2 " BSP SOCKET INNER THREADED-SS316	10	NO			
900	194400150472	1 " SS ELBOW(SW),MOC SS316 SPECIFICATION: 1 " SS ELBOW(SW),MOC SS316	25	NO			
910	194400150473	CONNECTOR, M20X1.5(M)X1/2"NPT(F), SS316 SPECIFICATION: CONNECTOR, M20X1.5(M)X1/2"NPT(F), SS316	20	NO			
Rupees (In words)						Total	

Bank MANDATE FORM for e-payment
(To be submitted in Duplicate)

To,
Odisha Power Generation Corporation Ltd.,
Ib thermal power station,
Banharpali,
Odisha.

Dear Sir,

Sub: - Authorization for release of payment due from OPGC Ltd through e-mode facilities of RTGS / NEFT / Internet Banking.

We are the regular contractor/Supplier to your organization and are executing work /supplying materials under different Contracts/ Purchase Orders to OPGC Ltd. We request you to release the payment of the outstanding amount electronically i.e., through RTGS, NEFT, Fund Transfer or any other suitable way. The details of our bank account are as follows: -

(Please fill in the information in CAPITAL LETTERS. Please TICK wherever it is applicable)

- 1.0 Name of the Party:
2.0 Address of the Party
.....
City Pin Code
E-mail ID
3.0 Permanent Account Number
4.0 Telephone/Cell No.....
5.0 Particulars of Bank:

Bank Name		Branch Name	
Branch Place		Branch City	
Pin code		Branch Code	
MICR No		IFSC Code	
Account Type	Savings:	Current:	Cash Credit:
Account No. (as appearing in the Cheque Book):			
(9 Digits code number appearing on the MICR Bank of the cheque supplied by the Bank. Please attach Xerox copy of a cheque of your bank for ensuring accuracy of the bank name, branch name & code and Account number)			

6.0 Date from which the mandate should be effective:

I hereby declare that the particulars given above are correct and complete. If any transaction is delayed or not effected for reasons of incomplete or incorrect information, I shall not hold Odisha Power Generation Corporation Ltd responsible. I also undertake to advise any change in the particulars of my account to facilitate updation of records for purpose of credit of amount through internet / RTGS / NEFT.

Place:

Date:

Signature of the Party / Authorized Signatory

.....

Certified that particulars furnished above are correct as per our records.

Bank's Stamp:

Date:

(Signature of the Authorized Official from the

Banks)

PROFORMA FOR BANK GUARANTEE IN LIEU OF DD FOR EARNEST MONEY

(On Non-Judicial stamp paper of appropriate value)

Ref:

Date:

Bank Guarantee

No.

To,

Odisha Power Generation Corporation Ltd.,

Ib Thermal Power Station, At/Po-

Banharpali, Dist.-Jharsuguda -

768234.

Dear Sir,

In consideration of Odisha Power Generation Corporation having its Registered office at 7th.Floor, Zone – A, Fortune Towers, Chandrasekharpur, Bhubaneswar-751 023 (hereinafter called the “Owner” which expression shall unless repugnant to the subject or context include its successors and assigns) having issued Tender Specification Against NIT No. _____ Dated _____ to M/s. _____ having its Registered/ Head office at _____ (hereinafter called the Bidder) who wishes to participate in the said tender for and you, as a special favor, have agreed to accept an irrevocable and unconditional Bank Bid Guarantee for an amount of Rs. _____ valid up to _____. On behalf of the Bidder, as a condition for participation in the said tender.

We, the _____ Bank incorporated under _____ law and having one of our branches at _____ and having our Registered office/Head office at _____ do here by unconditionally and irrevocably guarantee and undertake to pay to the “Owner” immediately on demand without any demur reservation, protest, contest and recourse to the extent of the said sum of Rs. _____ (Rupees _____ only). Any such claim/demand made by the said “Owner” on us shall be conclusive and binding on us irrespective of any dispute or differences raised by the Bidder. This guarantee shall be irrevocable and shall remain valid up to _____. If any further extension of this guarantee is required, the same shall be extended to such required period on receiving instructions from M/s. _____ on whose behalf this guarantee is issued.

We, the said Bank lastly undertake not to revoke this guarantee during its currency except with the previous consent of the owner in writing and agree that any change in the constitution of the said tenderer or the said Bank shall not discharge our liability. In witness where of the Bank, through its authorized officer, has set its hand and stamp on this _____ day of _____ 20____.

Witness:	
(Signature)	(Signature)
_____	_____
Name	Name _____ (Designation with Bank stamp) Official Address Attorney as per Power of Attorney No. _____ Date _____

PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE

(On Non-Judicial Stamp paper of Appropriate Value)

- 1.0 In consideration of OPGC Ltd. Having its registered office at Zone-A, 7th Floor, Fortune Tower, Chandrasekaharpur, Bhubaneswar-751023, Odisha herein-in after called the “Owner” which expression shall unless repugnant to the subject or context include its successor & assignees) having awarded to M/swith its Registered/Head office at..... here-in after referred to as the “Contractor” which expression shall unless repugnant to the subject or context include its successor, executors & assignees) a contract by issue of Owner’s Letter of Intent No. Dated and the same having been unequivocally accepted by the contractor resulting in a contract bearing No. dated valued at Rs.....for and the contractor having agreed to provide a contract performance (Scope of work) Guarantee for the faithful performance of the entire contract equivalent Rs. 10% (ten percent) of the said value of the contract to the owner for satisfactory performance of the equipment/materials supplied (as detailed in the said agreement) during the Guarantee period (as detailed in the said agreement) and for the due fulfillment by the contractor(s) of the terms and conditions contained in the said agreement.
- 2.0 We (here-in after referred to as “the bank” (Name & address of Bank)having its Head Office at do hereby guarantee and undertake to pay the owner, on demand any and all amount payable by the contractor not exceeding Rs.....(Rupees.....) only as aforesaid at any time up to (Days/Month/Year).
- 3.0 We do hereby (Name of Bank)undertake to pay the amounts due to and payable under this guarantee without any demur, reservation, contest, recourse or protest and/or without any reference to the contractor. Any such demand made by the owner on the Bank shall be conclusive and binding notwithstanding any difference between the owner and contractor or any dispute pending before any court, tribunal or any other authority. The bank undertakes not to revoke this guarantee during the currency without previous consent of the Owner and further agrees that the guarantee herein contained shall continue to be enforceable till the owner discharges this guarantee.The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the contractor(s)/suppliers shall have no claim against us for making such payment.
- 4.0 We further agree that the (Name of Bank)guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Agreement and that it shall

continue to be enforceable till all dues of OPGC have been fully paid and its claims satisfied or discharged until OPGC certifies that the terms & conditions of the said Agreement have been fully and properly carried out by the said contractor(s) and accordingly discharges this guarantee.

5.0 We further agree with the (Name of Bank)OPGC that OPGC have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the OPGC against the said contractor(s) and to for bear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, postponement or extension being granted to the said contractor(s) or for any forbearance, act or omission on the part of the OPGC or any indulgence by the OPGC to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would but for this provision have effect of so relieving us.

6.0 This guarantee will not be discharged due to the change in the name, style and constitution of the Bank or the contractor(s)/suppliers(s).

7.0 Notwithstanding anything contained herein:

- a) Our liability under this bank guarantee shall not exceedRs.....
(Rupees.....
.....)
- b) This bank guarantee shall be valid up to
- c) We are liable to pay the guaranteed amount or any part thereof under this B.G only and only if the beneficiary/Govt. serves upon the bank a written claim or demand on or before

8.0 Welastly undertake not to revoke this (Name of Bank)guarantee during its currency except with the previous consent of the OPGC in writing. Dated the day of20....

9.0 Notwithstanding anything contained hereinabove our liability under this guarantee is restricted to Rs.....
(Rupees.....
only) and this guarantee is valid up to We shall be released and discharged from all liabilities hereunder unless a written claim for payment under this guarantee is lodged on us within three months from the date of expiry of the guarantee i.e. on or before Irrespective of whether or not the original guarantee is returned to us. The confirmation of this Bank Guarantee is available within our controlling office. The beneficiary in his own interest should obtain such confirmation from the controlling office at the following address

WITNESS with address

For and on behalf of (the Bank)

1.

.

Signature.....

2.

..

..
Name.....

Designation

Authorization No.

Seal of the Bank