

| Annexure VI - LIST OF MINIMUM T & PE'S TO BE MAINTAINED BY CONTRACTOR                  |   |  |  |          |          |
|--|---|--|--|----------|----------|
| MINIMUM QTY. IS ESTIMATED CONSIDERING LEAD PERIOD AND CONSUMPTION DURING THAT PERIOD.. |   |  |  |          |          |
| S.NO.  | DETAILS OF TOOLS & PLANTS                       | DETAILED SPECIFICATION                       | MAKE & CAT NO. (PLEASE WRITE IF APPLICABLE)  | UOM      | QUANTITY |
| 1  | HYDRA FRONT CABIN TYPE 14 MT                    | 14 MT  | ESCORT                                       | NOS      | 1        |
| 2  | PICK UP VAN                                     |  | TATA / MAHINDRA                              | NOS      | 1        |
| 3  | TRACTOR WITH TROLLEY                            |  | MAHINDRA / HMT / EICHER                      | NOS      | 1        |
| 4  | WELDING MACHINE 400AMPS,3PHASE WITH REGULATOR   | L&T, ADORE, ESAB                             | L&T, ADORE, ESAB                             | NOS      | 3        |
| 5  | WELDING MACHINE PORTABLE 1 PHASE WITH REGULATOR | L&T, ADORE, ESAB                             | L&T, ADORE, ESAB                             | NOS      | 4        |
| 6  | WELDING CABLE 100MTR EACH                       | L&T, ADORE, ESAB                             | L&T, ADORE, ESAB                             | NOS      | 7        |
| 7  | CUTTING SET COMPLETE ASSY.                      | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | ESAB/EQUIVALENT                              | NOS      | 5        |
| 8  | OIL BARREL PUMP                                 | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 4        |
| 9  | TRANSFORMER 24V                                 | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 4        |
| 10   | GRINDING MACHINE                                | AG-4   | BOSCH/KPT                                    | NOS      | 2        |
| 11   | GRINDING MACHINE                                | AG-5   | BOSCH/KPT                                    | NOS      | 8        |
| 12   | GRINDING MACHINE                                | AG-7   | BOSCH/KPT                                    | NOS      | 4        |
| 13   | GRINDING MACHINE                                | FLEXIBLE FF-2                                | BOSCH/KPT                                    | NOS      | 1        |
| 14   | HAND DRILL MACHINE                              | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | BOSCH/KPT                                    | NOS      | 2        |
| 15   | MAGNETIC DRILL MACHINE                          | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | BOSCH/KPT                                    | NOS      | 1        |
| 16   | MAGNETIC STAND FOR DRILLING M/C                 | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | BOSCH/KPT                                    | NOS      | 2        |
| 17   | HYDRAULIC JACK WITH PUMP 30MT                   | 30MT/50MM STROKE                             | ENERPAC                                      | NOS      | 2        |
| 18   | HYDRAULIC JACK WITH PUMP 50MT                   | 50MT/100MM STROKE                            | ENERPAC                                      | NOS      | 2        |
| 19   | ELECTRODE BAKING OVEN(PORTABLE)                 | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 4        |
| 20   | SEARCH LIGHT                                    | Brite light                                  | Brite light                                  | NOS      | 2        |
| 21   | LED TORCH LIGHT                                 | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | EVEREADY                                     | NOS      | 10       |
| 22   | LIFE LINE ROPE / WIRE ROPE SLING                | Karam  | Karam  | M        | 200      |
| 23   | CHAIN PULLEY BLOCKS                             | 1MT/5M                                       | SAFEX/INDEF                                  | NOS      | 2        |
| 24   | CHAIN PULLEY BLOCKS                             | 2MT/8M                                       | SAFEX/INDEF                                  | NOS      | 6        |
| 25   | CHAIN PULLEY BLOCKS                             | 5MT/8M                                       | SAFEX/INDEF                                  | NOS      | 4        |
| 26   | CHAIN PULLEY BLOCKS                             | 10MT/10M                                     | SAFEX/INDEF                                  | NOS      | 1        |
| 27   | BENCH VICE                                      | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | TAPARIA                                      | NOS      | 2        |
| 28   | CUTTING SET TROLLEY                             | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 6        |
| 29   | D-SHACKLES                                      | 1MT TO 10 MT ( 1MT,2MT,3MT,5MT,8MT & 10MT)   | SAFEX/INDEF                                  | NOS/EACH | 4        |
| 30   | D-SHACKLES                                      | 15MT & 20 MT                                 | SAFEX/INDEF                                  | NOS/EACH | 4        |
| 31   | EYE BOLT  | 10MM,12MM,16MM,20MM                          | SAFEX/INDEF                                  | NOS/EACH | 4        |
| 32   | EYE BOLT  | 24MM,30MM,36MM,42MM                          | SAFEX/INDEF                                  | NOS/EACH | 2        |
| 33   | BELT SLING                                      | 1MT,2MT,3MT,5MT,8MT,10MT                     | SAFEX/INDEF                                  | NOS/EACH | 4        |
| 34   | WIRE ROPE SLINGS                                | 8MM*2M                                       | SAFEX/INDEF                                  | NOS      | 10       |
| 35   | WIRE ROPE SLINGS                                | 16MM*6M                                      | SAFEX/INDEF                                  | NOS      | 2        |
| 36   | WIRE ROPE SLINGS                                | 20MM*8M                                      | SAFEX/INDEF                                  | NOS      | 2        |
| 37   | WIRE ROPE SLINGS                                | 25MM*8M                                      | SAFEX/INDEF                                  | NOS      | 2        |
| 38   | TAPER WEDGE JACK                                | 50MT/50MM STROKE                             | ENERPAC                                      | NOS      | 0        |
| 39   | HALOGEN SET                                     | 500 W  | HAVELS / BAJAJ                               | NOS      | 10       |

| S.NO. | DETAILS OF TOOLS & PLANTS          | DETAILED SPECIFICATION   | MAKE & CAT NO. (PLEASE WRITE IF APPLICABLE)  | UOM       | QUANTITY |
|-------|------------------------------------|--|--|-----------|----------|
| 40    | AIR HOSE 1" FIBRE ( WIRE BRAIDED ) | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | METRE     | 150      |
| 41    | BOX SPANNER SET                    | 6-32MM   | TAPARIA/MEKASTER                             | SETS      | 4        |
| 42    | BOX SPANNER SET                    | 36-75 MM   | TAPARIA/MEKASTER                             | SETS      | 2        |
| 43    | VERNIER CALIPER                    | 150MM  | MITUTOYO                                     | NOS       | 2        |
| 44    | VERNIER CALIPER                    | 300MM  | MITUTOYO                                     | NOS       | 2        |
| 45    | DIGITAL VERNIER                    | 150MM  | MITUTOYO                                     | NOS       | 1        |
| 46    | FILLER GUAGE SET                   | 150MM  | MITUTOYO                                     | NOS       | 5        |
| 47    | FILLER GUAGE SET                   | 300MM  | MITUTOYO                                     | NOS       | 5        |
| 48    | DIAL GAUGE                         | 3MM  | MITUTOYO                                     | NOS       | 4        |
| 49    | DIAL GAUGE                         | 5MM  | MITUTOYO                                     | NOS       | 4        |
| 50    | DIAL GAUGE                         | 10MM   | MITUTOYO                                     | NOS       | 4        |
| 51    | MAGNETIC BASE FOR DIAL GAUGE       | FOR 3MM/5MM/10MM DIAL GAUGE  | MITUTOYO                                     | NOS       | 4        |
| 52    | INSIDE MICROMETER                  | 50-1000MM  | MITUTOYO                                     | NOS       | 1        |
| 53    | OUTSIDE MICROMETER                 | 0-25   | MITUTOYO                                     | NOS       | 1        |
| 54    | OUTSIDE MICROMETER                 | 0-150MM  | MITUTOYO                                     | NOS       | 1        |
| 55    | OUTSIDE MICROMETER                 | 150-300  | MITUTOYO                                     | NOS       | 1        |
| 56    | OUTSIDE MICROMETER                 | 300-400MM  | MITUTOYO                                     | NOS       | 1        |
| 57    | PITCH GUAGE                        | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | MITUTOYO                                     | NOS       | 2        |
| 58    | TAPER GUAGE                        | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | MITUTOYO                                     | NOS       | 1        |
| 59    | ANGLE PROTRACTOR                   | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | MITUTOYO                                     | NOS       | 1        |
| 60    | STEEL RULE                         | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | MITUTOYO                                     | NOS       | 2        |
| 61    | DIVIDER                            | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | MITUTOYO                                     | NOS       | 2        |
| 62    | PROTRACTOR                         | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | MITUTOYO                                     | NOS       | 1        |
| 63    | MASTER LEVEL                       | 150MM  | MITUTOYO                                     | NOS       | 2        |
| 64    | MASTER LEVEL                       | 300MM  | MITUTOYO                                     | NOS       | 1        |
| 65    | SPIRIT LEVEL                       | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | MITUTOYO                                     | NOS       | 2        |
| 66    | HAMMERING SPANNER-RING & D         | 24MM,27MM,30MM,32MM,36MM,41MM,46MM,50MM,55MM,60MM,65MM,70MM,75MM,80MM,85MM,90MM,95MM,110MM | TAPARIA/MEKASTER                             | NOS/EACH  | 4        |
| 67    | TAP SET                            | 3MM,4MM,5MM,6MM,8MM,10MM,12MM,16MM,20MM,24MM,27MM,30MM,36MM(METRIC/FINE)                   | TOTEM/JK                                     | NOS/EACH  | 1        |
| 68    | TAP WRENCH                         | FOR ABOVE MENTIONED TAP SET  | TOTEM/JK                                     | NOS       | 1        |
| 69    | RING SPANNER                       | 6MM-46MM   | TAPARIA                                      | SETS      | 12       |
| 70    | D-SPANNER                          | 6MM-46MM   | TAPARIA                                      | SETS      | 12       |
| 71    | RIGHT ANGLE                        | 6 " & 12"  | TAPARIA                                      | NOS./EACH | 3        |
| 72    | HACKSAW FRAME BIG                  | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | TAPARIA                                      | NOS       | 3        |
| 73    | HACKSAW FRAME MINI                 | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | TAPARIA                                      | NOS       | 3        |
| 74    | SHIM CUTTER                        | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | TAPARIA                                      | NOS       | 4        |
| 75    | CUTTING PLIER                      | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | TAPARIA                                      | NOS       | 10       |
| 76    | NOSE PLIER                         | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT   | TAPARIA                                      | NOS       | 10       |
| 77    | CIRCLIP PLIER-SMALL                | INTERNAL & EXTERNAL  | TAPARIA                                      | NOS       | 4        |

| S.NO. | DETAILS OF TOOLS & PLANTS        | DETAILED SPECIFICATION                       | MAKE & CAT NO. (PLEASE WRITE IF APPLICABLE)  | UOM      | QUANTITY |
|-------|----------------------------------|--|--|----------|----------|
| 78    | CIRCLIP PLIER-MEDIUM             | INTERNAL & EXTERNAL                          | TAPARIA                                      | NOS      | 4        |
| 79    | CIRCLIP PLIER-LARGE              | INTERNAL & EXTERNAL                          | TAPARIA                                      | NOS      | 4        |
| 80    | BEARING PULLER (HYDRAULIC)       | 8" & 12"                                     | TAPARIA                                      | NOS/EACH | 4        |
| 81    | SCAFFOLDING PIPE                 | 3 METRE                                      | STD  | NOS      | 150      |
| 82    | SCAFFOLDING PIPE                 | 6 METRE                                      | STD  | NOS      | 100      |
| 83    | SCAFFOLDING GRATINGS             | STANDARD                                     | STD  | NOS      | 100      |
| 84    | SCAFFOLDING CLAMPS               | FIXED AND SWIVEL                             | STD  | NOS/EACH | 300      |
| 85    | ALLEN KEY                        | 1-10MM(BOX)                                  | TAPARIA                                      | SET      | 10       |
| 86    | ALLEN KEY                        | 12MM,14MM,17MM,19MM,22MM,24MM,27MM,30MM,32MM | TAPARIA                                      | NOS/EACH | 2        |
| 87    | ALLEN KEY                        | 1/6 TO 3/8 INCH                              | TAPARIA                                      | SET      | 4        |
| 88    | PIPE WRENCH                      | 12"  | TAPARIA                                      | NOS      | 8        |
| 89    | PIPE WRENCH                      | 18"  | TAPARIA                                      | NOS      | 4        |
| 90    | PIPE WRENCH                      | 24"  | TAPARIA                                      | NOS      | 2        |
| 91    | SCREW DRIVER                     | 12'  | TAPARIA                                      | NOS      | 12       |
| 92    | SCREW DRIVER                     | 18"  | TAPARIA                                      | NOS      | 12       |
| 93    | SCREW SPANNER (SLIDE WRENCH)     | 12",18"                                      | TAPARIA                                      | NOS      | 20       |
| 94    | HAMMERS                          | 2 Kg   | TAPARIA                                      | NOS      | 12       |
| 95    | HAMMERS                          | 5 Kg,10 Kg                                   | TAPARIA                                      | NOS/EACH | 8        |
| 96    | VACCUM CLEANER                   | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | BOSCH/KPT                                    | NOS      | 1        |
| 97    | ALUMINIUM LADDER 3 MTR           | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | STD  | NOS      | 2        |
| 98    | NYLON HAMMERS                    | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | TAPARIA                                      | NOS      | 5        |
| 99    | GREASE GUN WITH HOSE AND NIPPLES | 1KG  | STD  | NOS      | 3        |
| 100   | GREASE GUN WITH HOSE AND NIPPLES | 3KG  | STD  | NOS      | 2        |
| 101   | GREASE GUN WITH HOSE AND NIPPLES | 5KG  | STD  | NOS      | 2        |
| 102   | TOOL BOX WITH ALL HAND TOOLS     | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 12       |
| 103   | SINGLE ROPE PULLEY               | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 4        |
| 104   | LETTER PUNCH                     | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 1        |
| 105   | NUMBER PUNCH                     | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 1        |
| 106   | COPPER ROD                       | 300MM -LENGTH.40MM-OD                        | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 5        |
| 107   | TWO CORE CABLE                   | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | METRE    | 200      |
| 108   | THREE CORE CABLE                 | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | METRE    | 200      |
| 109   | SWITCH BOARDS WITH MCB           | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 15       |
| 110   | HAND LAMP WITH 24 V              | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS      | 10       |
| 111   | FILE FLAT                        | 6" & 12" ROUGH                               | TAPARIA                                      | NOS      | 10       |
| 112   | FILE FLAT                        | 6" & 12" SMOOTH                              | TAPARIA                                      | NOS      | 10       |
| 113   | FILE TRIANGLE                    | 6" & 12" ROUGH                               | TAPARIA                                      | NOS      | 10       |
| 114   | FILE TRIANGLE                    | 6" & 12" SMOOTH                              | TAPARIA                                      | NOS      | 10       |
| 115   | NEEDLE FILE SETS                 | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | TAPARIA                                      | SET      | 3        |
| 116   | PIPE THREADING DIE SET           | 3/8"   | TOTEM/JK                                     | NOS      | 1        |
| 117   | PIPE THREADING DIE SET           | 1/2"   | TOTEM/JK                                     | NOS      | 1        |

| S.NO. | DETAILS OF TOOLS & PLANTS | DETAILED SPECIFICATION | MAKE & CAT NO. (PLEASE WRITE IF APPLICABLE)  | UOM   | QUANTITY |
|-------|---------------------------|------------------------|--|-------|----------|
| 118   | PIPE THREADING DIE SET    | 3/4"                   | TOTEM/JK                                     | NOS   | 1        |
| 119   | PIPE THREADING DIE SET    | 1"                     | TOTEM/JK                                     | NOS   | 1        |
| 120   | PIPE THREADING DIE SET    | 1 1/4"                 | TOTEM/JK                                     | NOS   | 1        |
| 121   | WATER LEVEL PIPE          |                        | STD  | METRE | 50       |
| 122   | PLUMB                     |                        | STD  | NOS   | 2        |
| 123   | MEASUREMENT TAPE          | 3M                     | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS   | 10       |
| 124   | MEASUREMENT TAPE          | 5M                     | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS   | 10       |
| 125   | MEASUREMENT TAPE          | 15M                    | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS   | 2        |
| 126   | MEASUREMENT TAPE          | 50M                    | SUITABLE FOR SAFE & QUALITY WORK ENVIRONMENT | NOS   | 1        |
| 127   | Diesel Dewatering Pump    | 10 HP                  | KIRLOSKAR,HONDA OR EQUIVALENT                | NOS   | 2        |

**Note:**

**1. The above mentioned minimum quantity of Tools & Plants and equipment have to be maintained by the Contractor at the Owner's site through out the Contract period and has to be replenished by the Contractor as and when the quantity is consumed. The Tools & Plants as specified above are not exhaustive and the Contractor has to deploy additional Tools & Plants as per site requirement to complete the scope of work in all respects, without any financial implication to the Owner. Other details shall be as per scope of work.**

**2. The above mentioned equipment must be of ISI and of industrial grade from standard manufacturer.**

| Annexure VII - List of Minimum Consumables to be maintained by Contractor              |   |                                       |          |                                   |
|--|---|---------------------------------------|----------|-----------------------------------|
| Minimum qty. is estimated considering lead period and consumption during that period.. |   |                                       |          |                                   |
| S.No.  | DETAILS OF CONSUMABLES  | DETAILS SPECIFICATION (IF APPLICABLE) | UOM      | MINIMUM QTY ( AT START OF MONTH ) |
| 1  | GRINDING WHEEL  | AG-4                                  | Nos      | 10                                |
| 2  | GRINDING WHEEL  | AG-5                                  | Nos      | 10                                |
| 3  | GRINDING WHEEL  | AG-7                                  | Nos      | 10                                |
| 4  | WELDING RODS 7018 (D&H/ESAB/ADOR) 2.5*350 MM                      | 7018 x 2.5 mm                         | CASE     | 6                                 |
| 5  | WELDING RODS 7018 (D&H/ESAB/ADOR) 3.15*450 MM                     | 7018 x 3.15 mm                        | CASE     | 6                                 |
| 6  | WELDING RODS 6013 (D&H/ESAB/ADOR) 2.5*350 MM                      | 6013 x 2.5 mm                         | CASE     | 10                                |
| 7  | WELDING RODS 6013 (D&H/ESAB/ADOR)3.15*450 MM                      | 6013 X 3.2 mm                         | CASE     | 10                                |
| 8  | PAINT BRUSH   | 1",2",3",4"                           | Nos/Each | 5                                 |
| 9  | PVC TAPE  |                                       | Nos      | 20                                |
| 10   | TEFLON TAPE   |                                       | Nos      | 30                                |
| 11   | TARPAULIN COVER   | 6 mtr X 6 mtr                         | Nos      | 6                                 |
| 12   | COTTON WASTE  |                                       | Kg       | 50                                |
| 13   | OIL STONE   |                                       | Nos      | 2                                 |
| 14   | BUFFING WHEEL - GRIND WELL NORTON/ CARBORUNDOM                    | 2",3",4",5",6"                        | Nos/Each | 10                                |
| 15   | EMERY WHEEL FOR AG - 4  | FINE, ROUGH                           | Nos/Each | 6                                 |
| 16   | EMERY PAPER   | ROUGH, MEDIUM,SMOOTH                  | Nos/Each | 15                                |
| 17   | WIRE BRUSH OF DIFFERENT SIZES                                     |                                       | Nos      | 10                                |
| 18   | WD 40 SPRAY   | 500 ml                                | Nos      | 10                                |
| 19   | M-SEAL  |                                       | KG       | 2                                 |
| 20   | DIESEL  |                                       | LTR      | 50                                |
| 21   | OXYGEN CYLINDER   |                                       | Nos      | 20                                |
| 22   | D.A. CYLINDER   |                                       | Nos      | 10                                |
| 23   | FF2 GRINDING MACHINE STONE WHEELS                                 |                                       | Nos      | 2                                 |
| 24   | FF2 GRINDING MACHINE METALLIC WHEELS - CONICAL, CYLINDRICAL, OVAL |                                       | Nos      | 2                                 |
| 25   | CHALK / SLATE PENCIL  |                                       | box      | 5                                 |
| 26   | 24V BULB  |                                       | Nos      | 10                                |
| 27   | HALOGEN FILAMENT  | 500W, 1000W                           | Nos/Each | 20                                |
| 28   | MARKING CLOTH   | 1M WIDTH ROLL                         | G        | 50                                |
| 29   | PRUSSIAN BLUE   |                                       | TUBE     | 5                                 |
| 30   | ARALDITE TUBE SET   |                                       | Nos      | 20                                |
| 31   | HACKSAW BLADES  |                                       | Nos      | 20                                |
| 32   | MANILA ROPE   |                                       | Mtr      | 100                               |
| 33   | GLASS FOR LAPPING VALVES OF DIFFERENT SIZES                       |                                       | Nos/Each |                                   |
| 34   | PIANO WIRE  |                                       | MTR      | 100                               |
| 35   | LINE DORI   |                                       | ROLL     | 10                                |
| 36   | SAFETY NET HAVING TWO LAYER                                       | 10 M X 5 M,6 M x 4M                   | Nos/Each | 4                                 |
| 37   | FIRE BLANKET  | Temp 550 deg C                        | MTR      | 20                                |
| 38   | FEVI QUICK  | SMALL TUBE                            | NOS.     | 50                                |
| 39   | HOLE TIGHT  | 200 GM                                | NOS.     | 10                                |

| S.No.   | DETAILS OF CONSUMABLES | DETAILS SPECIFICATION<br>(IF APPLICABLE) | UOM    | MINIMUM QTY ( AT<br>START OF MONTH ) |
|---|------------------------|--|--------|--------------------------------------|
| 40  | LOCTITE 243            |  | NOS.   | 2                                    |
| 41  | WHITENER FOR MARKING   | Camlin                                   | Camlin | 30                                   |
| <p>Note:<br/> 1. The above mentioned minimum quantity of Consumables that has to be maintained by the Contractor at the Owner's site through out the Contract period and has to be replenished by the Contractor as and when the quantity is consumed. The consumables as specified above are not exhaustive and the Contractor has to arrange additional consumables as per site requirement to complete the scope of work in all respects, without any financial implication to the Owner. Other details shall be as per scope of work.</p> |                        |  |        |                                      |