



ANNEXURE 9

List of Minimum Consumables to be maintained by Contractor - Unit 3 / Unit 4 AOH(Fans,APH & Ducting)					
SL.NO.	DETAILS OF CONSUMABLES	DETAILS SPECIFICATION (IF APPLICABLE)	UOM	MINIMUM QTY	REMARKS
1	GRINDING WHEEL	AG-4	Nos	30	The minimum quantity to be present at all times and any consumption must be replenished immediately. There is no upper limit of stock. Vendor should be supplied these items as per consumption in the jobs
2	GRINDING WHEEL	AG-5	Nos	30	
3	GRINDING WHEEL	AG-7	Nos	10	
4	CUTTING WHEEL	AG-4	Nos	30	
5	CUTTING WHEEL	AG-5	Nos	20	
6	CUTTING WHEEL	AG-7	Nos	10	
7	CUTTING WHEEL	14"	Nos	10	
	WELDING RODS 7018 (D&H/ESAB/ADOR)				
8	2.5*350 MM	7018 x 2.5 mm	Kg	20	The minimum quantity to be present at all times and any consumption must be replenished immediately. There is no upper limit of stock. Vendor should be supplied these items as per consumption in the jobs
9	3.15*450 MM	7018 x 3.15 mm	Kg	20	
	WELDING RODS 6013 (D&H/ESAB/ADOR)				
10	2.5*350 MM	6013 x 2.5 mm	Kg	10	
11	3.15*450 MM	6013 X 3.2 mm	Kg	10	
12	PAINT BRUSH 1",2",3",4"		Nos/Each	3	
13	COOLER CLEANING BRUSHES DIFFERENT SIZES FOR APH/FANS LUBE OIL COOLERS		N0s/Each	5	
14	PVC TAPE		Nos	20	
15	MASKING TAPE		Nos	20	
16	TEFLON TAPE		Nos	20	
17	TARPAULIN COVER	6 mtr X 6 mtr	Nos	8	
18	COTTON WASTE		Kg	200	To be replenished as per consumption.No upper limit
19	COTTON CLOTH		KG	50	To be replenished as per consumption.No upper limit
20	OIL STONE		Nos	4	
21	BUFFING WHEEL - GRIND WELL NORTON/ CARBORUNDOM	4",5"	Nos/Each	10	To be replenished as per consumption.No upper limit
22	EMERY WHEEL FOR AG - 4,AG-5	FINE, ROUGH	Nos/Each	20	To be replenished as per consumption.No upper limit
23	EMERY PAPER	(ROUGH, MEDIUM,SMOOTH)	Nos/Each	20	
24	WIRE BRUSH OF DIFFERENT SIZES		Nos	10	
25	WD 40 SPRAY	500 ml	Nos	30	The minimum quantity to be present at all times and any consumption must be replenished immediately. There is no upper limit of stock. Vendor should be supplied
26	CLEANER		Can	10	
27	DEVELOPER		Can	10	
28	PENETRANT		Can	10	
29	M-SEAL		Nos	10	
30	ANABOND SEALENT		Nos	10	
31	DIESEL		LTR	100	The minimum quantity to be present at all times and any consumption must be replenished immediately. There is no upper limit of stock. Vendor should be supplied these items as per consumption in the jobs
32	OXYGEN CYLINDER		Nos	20	
33	D.A. CYLINDER		Nos	10	
34	CHALK / SLATE PENCIL		box	4	
35	24V BULB		Nos	30	
36	BULB FOR HAND LAMP	100 W	Nos	30	
37	HALOGEN FILAMENT	500W, 1000W	Nos/Each	6	
38	MARKING CLOTH	1M WIDTH ROLL	M2	20	
39	PRUSSIAN BLUE		Nos	5	
40	HACKSAW BLADES		Nos	10	
41	MANILA ROPE		Mtr	200	
42	COIR ROPE		Kg	200	
43	BINDING WIRE		Kg	50	
44	BELCHA, TAKLON, SPADE TOOLS		Nos/Each	10	
45	CEMENT BAGS EMPTY		Nos	500	
46	PIANO WIRE		M	50	
47	LINE DORI		M	100	
48	LEAD WIRES UPTO 2 MM DIA(0.5 mm,1 mm,2 mm)		Kg/Each	0.5	
49	THERMO CHALKS UP TO 300 DEGREES	150 degree, 220 degree, 300 degree celsius	Nos/Each	2	
50	SAFETY NET HAVING TWO LAYER	10 M X 5 M,6 M x 4M	Nos/Each	2	
51	FIRE BLANKET	Temp 550 deg C	No.	10	

Note:

1. The above mentioned minimum quantity of Consumables that has to be maintained by the Contractor at the Owner's site through out the Contract period and has to be replenished by the Contractor as and when the quantity is consumed. The consumables as specified above are not exhaustive and the Contractor has to arrange additional consumables as per site requirement to complete the scope of work in all respects, without any financial implication to the Owner. Other details shall be as per scope of work.